# mibu

## Program šolskega pohištva

School Furniture Program

Z veseljem vam predstavljamo našo proizvodnjo in linijo miz in stolov za šolo in svet izobraževanja, načrtovano in izdelano v Sloveniji.
Kovinske konstrukcije izdelujemo v našem proizvodnem obratu na goriškem, kjer gredo skozi faze rezanja, upogibanja in varjenja profilov, nato pa jih končno obdelamo s postopkom peskanja. Lesene dele iz vezane plošče izdelajo in sestavijo naši lokalni partnerji po naročilu.
Naša fleksibilnost nam omogoča, da izdelamo vsak element tako v različnih velikostih, kot tudi po načrtu naših strank.

We are pleased to present our production of desks and chairs for school and the world of education.
We manufacture the metal structures in our production plant in Slovenia, where we process both the cutting, bending and welding phases of the profiles, and then finish them with the hot powder coating process. The multilayer wood elements are then manufactured locally by our partners and assembled on request.
Our flexibility allows us to produce each element both in different sizes, but also following the drawing provided by our customers.

# Svarog

## Nakladni stoli

### Stackable chair

**Naslonjalo:** Bukova vezana plošča, debelina 8 mm, naravno lakirana.
**Sedež:** Bukova vezana plošča, debelina 8 mm, naravno lakirana.
**Okvir:** Cevni okvir iz jekla Ø 22 mm, narejen s hladnim upogibanjem in visoko odpornim neprekinjenim varjenjem žice. Ojačitvena palica pod sedežem. Končna obdelava s peskanjem po pranju in razmaščevanju kovinske strukture.
**Stopala:** Neodstranjliva stopala na koncih.

**Backrest:** Beech plywood, thickness 8mm, Natural varnished.
**Seat:** Beech plywood, thickness 8mm, Natural varnished.
**Frame:** Tubular steel frame Ø 22mm made by cold bending and high resistance continuous wire welding. Reinforcement flat iron bar under the seat. Powder coating finishing after washing and degreasing the metal structure.
**Feet:** Finned and unstrainable feet at the ends.

### Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Seat cm.36x35H.
size 4 (Student height from cm.133 to 159) Seat cm.36x38H.
size 5 (Student height from cm.146 to 176) Seat cm.36x43H.
size 6 (Student height from cm.159 to 188) Seat cm.40x46H.
size 7 (Student height from cm.174 to 207) Seat cm.40x51H.

# Perun

## Enostavna enoprostorna klop

### Simple single-seater desk

**Pisalna površina:** Vezana plošča iz breze je na obeh površinah prekrita z laminatom s površinsko zaščito pred praskami v skupni debelini 22 mm, oblikovana po evropskih standardih za preprečevanje nesreč z zaobljenimi robovi. Pritrjena na nosilno konstrukcijo s posebnimi vijaki.
**Okvir:** Konstrukcija iz jeklene cevi Ø 25 mm, ki povezuje noge z vodoravno jekleno cevjo Ø 22 mm. Končna obdelava s peskanjem po pranju in razmaščevanju kovinske strukture.
**Stopala:** Na koncih so neodstranljive plastične blazine, uporabne za zmanjšanje hrupa in zaščito kovinske konstrukcije pred korozijo.

**Writing top:** Birch plywood covered on both surfaces in laminate with anti-scratch finish in the total thickness of 22mm, shaped perimetrically with radius section according to European standards on accident prevention with rounded edges. Fastened to the supporting structure by means of special screws.
**Frame:** Structure made in steel tube Ø 25mm connecting the legs with an horizontal steel tube Ø 22mm. Powder coating finishing after washing and degreasing the metal structure.
**Feet:** Finned and non-extractable plastic feets at the ends, useful to attenuate noise and protect the metal structure from corrosion.

### Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Desk cm. 70x50x59H.
size 4 (Student height from cm.133 to 159) Desk cm. 70x50x64H.
size 5 (Student height from cm.146 to 176) Desk cm. 70x50x71H.
size 6 (Student height from cm.159 to 188) Desk cm. 70x50x76H.
size 7 (Student height from cm.174 to 207) Desk cm. 70x50x82H.

# Svetovid

## Enosedežna klop s polico iz pločevine

### Single-seater desk with sheet metal undercounter

**Pisalna površina:** Vezana plošča iz breze je na obeh površinah prekrita z laminatom s površinsko zaščito pred praskami v skupni debelini 22 mm, oblikovana po evropskih standardih za preprečevanje nesreč z zaobljenimi robovi. Pritrjena na nosilno konstrukcijo s posebnimi vijaki.
**Okvir:** Konstrukcija iz jeklene cevi Ø 25 mm, ki je povezana z jekleno polico 20/10, pritrjena na noge. Končna obdelava s peskanjem po pranju in razmaščevanju kovinske strukture.
**Stopala:** Na koncih so neodstranljive plastične blazine, uporabne za zmanjšanje hrupa in zaščito kovinske konstrukcije pred korozijo.

**Writing top:** Birch plywood covered on both surfaces in laminate with anti-scratch finish in the total thickness of 22mm, shaped perimetrically with radius section according to European standards on accident prevention with rounded edges. Fastened to the supporting structure by means of special screws.
**Frame:** Structure made in steel tube Ø 25 mm connected by a 20/10 steel sheet undertop tray welded to the legs. Powder coating finishing after washing and degreasing the metal structure.
**Feet:** Finned and non-extractable plastic feets at the ends, useful to attenuate noise and protect the metal structure from corrosion.

### Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Desk cm. 70x50x59H.
size 4 (Student height from cm.133 to 159) Desk cm. 70x50x64H.
size 5 (Student height from cm.146 to 176) Desk cm. 70x50x71H.
size 6 (Student height from cm.159 to 188) Desk cm. 70x50x76H.
size 7 (Student height from cm.174 to 207) Desk cm. 70x50x82H.

# Triglav

## Enosedežna klop s podstavkom za noge in polico iz pločevine

## Single-seater desk with footrest and sheet metal undercounter

**Pisalna površina:** Vezana plošča iz breze je na obeh površinah prekrita z laminatom s površinsko zaščito pred praskami v skupni debelini 22 mm, oblikovana po evropskih standardih za preprečevanje nesreč z zaobljenimi robovi. Pritrjena na nosilno konstrukcijo s posebnimi vijaki.
**Okvir:** Konstrukcija iz jeklene cevi Ø 25 mm, ki je povezana z jekleno polico 20/10, pritrjeno na noge. Naslonjalo za noge je narejeno iz jeklene cevi Ø mm.22, opremljeno z neodstranljivo zaščito iz PVC traku. Končna obdelava s peskanjem po pranju in razmaščevanju kovinske strukture.
**Stopala:** Na koncih so neodstranljive plastične blazine, uporabne za zmanjšanje hrupa in zaščito kovinske konstrukcije pred korozijo.

**Writing top:** Birch plywood covered on both surfaces in laminate with anti-scratch finish in the total thickness of 22mm, shaped perimetrically with radius section according to European standards on accident prevention with rounded edges. Fastened to the supporting structure by means of special screws.
**Frame:** Structure made in steel tube Ø 25 mm connected by a 20/10 steel sheet undertop tray welded to the legs. Footrest bar made of tubular steel Ø mm.22, welded to the legs with non-extractable protection in striped PVC. Powder coating finishing after washing and degreasing the metal structure.
**Feet:** Finned and non-extractable plastic feets at the ends, useful to attenuate noise and protect the metal structure from corrosion.

### Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Desk cm. 70x50x59H.
size 4 (Student height from cm.133 to 159) Desk cm. 70x50x64H.
size 5 (Student height from cm.146 to 176) Desk cm. 70x50x71H.
size 6 (Student height from cm.159 to 188) Desk cm. 70x50x76H.
size 7 (Student height from cm.174 to 207) Desk cm. 70x50x82H.

# Belibog

## Enostavna enoprostorna klop

### Simple single-seater desk

**Pisalna površina:** Vezana plošča iz breze je na obeh površinah prekrita z laminatom s površinsko zaščito pred praskami v skupni debelini 22 mm, oblikovana po evropskih standardih za preprečevanje nesreč z zaobljenimi robovi. Pritrjena na nosilno konstrukcijo s posebnimi vijaki.
**Okvir:** Konstrukcija iz jeklene cevi Ø mm.30 z obodnimi povezovalnimi profili. Elementi so varjeni s štirimi neprekinjenimi žilnimi zvari. Končna obdelava s peskanjem po pranju in razmaščevanju kovinske strukture.
**Stopala:** Na koncih so neodstranljive plastične blazine, uporabne za zmanjšanje hrupa in zaščito kovinske konstrukcije pred korozijo.

**Writing top:** Birch plywood covered on both surfaces in laminate with anti-scratch finish in the total thickness of 22mm, shaped perimetrically with radius section according to European standards on accident prevention with rounded edges. Fastened to the supporting structure by means of special screws.
**Frame:** Structure made of steel tube Ø mm.30 with perimeter connecting profiles. The elements are welded by 4 continuous wire weldings. Powder coating finishing after washing and degreasing the metal structure.
**Feet:** Finned and non-extractable plastic feets at the ends, useful to attenuate noise and protect the metal structure from corrosion.

### Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Desk cm. 70x50x59H.
size 4 (Student height from cm.133 to 159) Desk cm. 70x50x64H.
size 5 (Student height from cm.146 to 176) Desk cm. 70x50x71H.
size 6 (Student height from cm.159 to 188) Desk cm. 70x50x76H.
size 7 (Student height from cm.174 to 207) Desk cm. 70x50x82H.

# Radegost

## Nakladni stoli

### Stackable chair

**Naslonjalo:** Bukova vezana plošča, debelina 8 mm, naravno lakirana.
**Sedež:** bukova vezana plošča, debelina 8 mm, naravno lakirana.
**Okvir:** Cevni okvir iz jekla Ø 22 mm, narejen s hladnim upogibanjem in visoko odpornim neprekinjenim varjenjem žice. Ojačitvena palica pod sedežem. Končna obdelava praškastega premaza po pranju in razmaščevanju kovinske strukture.
**Stopala:** Neodstranjliva stopala na koncih.

**Backrest:** Beech plywood, thickness 8mm, Natural varnished.
**Seat:** Beech plywood, thickness 8mm, Natural varnished.
**Frame:** Tubular steel frame Ø 25 mm made by cold bending and high resistance continuous wire welding. Reinforcement flat iron bar under the seat. Powder coating finishing after washing and degreasing the metal structure.
**Feet:** Finned and removable feet at the ends.

### Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Seat cm.36x35H.
size 4 (Student height from cm.133 to 159) Seat cm.36x38H.
size 5 (Student height from cm.146 to 176) Seat cm.36x43H.
size 6 (Student height from cm.159 to 188) Seat cm.40x46H.
size 7 (Student height from cm.174 to 207) Seat cm.40x51H.

# Stribog

## Nakladni stol z nasloni za roke ali brez njih

### Stackable chair with or without armrests

**Brez naslonjal za roke**

**Without armrests**

**Z naslonjali za roke**

**With armrests**

**Naslonjalo:** Bukova vezana plošča, debeline 8 mm, naravno lakirana.
**Sedež:** Bukova vezana plošča, debeline 8 mm, naravno lakirana.
**Okvir:** Pobarvan cevast jekleni okvir v črni ali barvi aluminija.
**Stopala:** Črni polipropilen.

**Backrest:** Beech plywood, thickness 8mm, Natural varnished.
**Seat:** Beech plywood, thickness 8mm, Natural varnished.
**Frame:** Painted tubular steel frame in Black and Alluminium.
**Feet:** Black polypropylene.

# Dajbog

## Delovni stol

### Stool

**Sedež:** Bukova vezana plošča, debelina 8 mm, naravno lakirana.
**Mehanizem:** Pritrjena plošča. Plinsko dvigalo.
**Podstavek:** Najlon, črno pobarvano jeklo s kolesi ali fiksnimi nogami.
**Nožni obroč:** Kromiran nastavljiv nožni obroč.

**Seat:** Beech plywood, thickness 8mm, Natural varnished.
**Mechanism:** Fixed plate. Gas-lift.
**Base:** Nylon, black painted steel with castors or fixed feet.
**Foot Ring:** Chromed adjustable foot ring.

# Kurent

## Delovni stol z naslonjalom

### Stool with backrest

**Naslonjalo za hrbet:** Bukova vezana plošča, debelina 8 mm, naravno lakirana.
**Sedež:** Bukova vezana plošča, debelina 8 mm, naravno lakirana.
**Nastavitev naslonjala:** Gumb za nastavitev višine
**Mehanizem:** Pritrjena plošča. Plinsko dvigalo.
**Podstavek:** Najlon, črno pobarvano jeklo s kolesi ali fiksnimi nogami.
**Nožni obroč:** Kromiran nastavljiv nožni obroč.

**Backrest:** Beech plywood, thickness 8mm, Natural varnished.
**Seat:** Beech plywood, thickness 8mm, Natural varnished.
**Backrest adjustment:** Height-adjustment knob.
**Mechanism:** Fixed plate. Gas-lift.
**Base:** Nylon, black painted steel with castors or fixed feet.
**Foot Ring:** Chromed adjustable foot ring.

# Velas

## Delovni stol
### Stool

**Sedež:** Bukova vezana plošča, debelina 8 mm, naravno lakirana.
**Mehanizem:** Pritrjena plošča. Plinsko dvigalo.
**Podstavek:** Najlon, črno pobarvano jeklo s kolesi ali fiksnimi nogami.
**Nožni obroč:** Kromiran nastavljiv nožni obroč.

**Seat:** Beech plywood, thickness 8mm, Natural varnished.
**Mechanism:** Fixed plate. Gas-lift.
**Base:** Nylon, black painted steel with castors or fixed feet.
**Foot Ring:** Chromed adjustable foot ring.



# Velas

## Delovni stol
### Stool

**Sedile:** Multistrato di legno.
**Mehanizem:** Pritrjena plošča.
**Okvir:** 4 noge, črno pobarvano cevasto jeklo, z ročno nastavitvijo sedeža po višini.

**Seat:** Multilayer wood.
**Mechanism:** Fixed plate. Manual height-adjustable seat.
**Frame:** 4 legs in black painted tubular steel.

# Jarilo

## Delovni stol

### Stool

**Sedež:** Oblazinjena iverna plošča.
**Oblazinjenje:** Fleksibilna poliuretanska pena.
**Mehanizem:** Pritrjena plošča. Plinsko dvigalo.
**Podstavek:** Najlon, črno pobarvano jeklo s kolesi ali fiksnimi nogami.

**Seat:** Padded chipboard.
**Padding:** Flexible polyurethane foam.
**Mechanism:** Fixed plate. Gas-lift.
**Base:** Nylon, black painted steel with castors or fixed feet.

# Jarilo

## Delovni stol

### Stool

**Sedež:** Oblazinjena iverna plošča.
**Oblazinjenje:** Fleksibilna poliuretanska pena.
**Mehanizem:** Pritrjena plošča. Plinsko dvigalo.
**Okvir:** 4 noge, črno pobarvano cevasto jeklo, z ročno nastavitvijo sedeža po višini.

**Seat:** Padded chipboard.
**Padding:** Flexible polyurethane foam.
**Mechanism:** Fixed plate. Manual height-adjustable seat.
**Frame:** 4 legs in black painted tubular steel.

# Bogomila

## Oblazinjen zložljiv stol

### Folding padded chair

**Naslonjalo za hrbtni del:** Notranjost iz vezane plošče, zunanjeost iz polipropilena. Oblazinjena in polnjena sprednja stran.
**Sedež:** Notranjost iz vezane plošče. Oblazinjena in polnjena zgornja površina.
**Oblazinjenje:** Fleksibilna poliuretanska pena.
**Tapetništvo:** Eko usnje.
**Okvir:** Črno barvana, aluminijasto barvana ali kromirana jeklena cev.
**Stopala:** Črni polipropilen.

**Backrest:** Inner backrest made in multilayer wood and polypropylene outer backside. Padded stuffed frontside.
**Seat:** Wood inner seat made in multilayer wood. Tapeed and stuffed upperside.
**Padding:** Flexible polyurethane foam.
**Upholstery:** Eco-leather.
**Frame:** Black painted, aluminium painted or chromed steel tube.
**Feet:** Black polypropylene.

# Belin

## Nakladni stol s polipropilenskim sediščem
## Stackable polypropylene shell chair

**Brez naslonjal za roke**
**Without armrests**

**Z naslonjali za roke**
**With armrests**

**Sedišče:** Barvni polipropilen.
**Okvir:** Kromirana jeklena cev z nasloni za roke ali brez; po naročilu zložljiva polipropilenska miza.
**Stopala:** Črni polipropilen.

**Monocoque:** Coloured polypropylene.
**Frame:** Chromed steel tube with or without armrests; folding polypropylene tablet optional on request.
**Feet:** Black polypropylene.

**Izdelek, ki zavira gorenje, z ministrsko homologacijo razreda 1IM**
**Fire retardant product rated with Ministerial Class 1IM**

# Morana

## Modularna klopca s sedeščem iz polipropilena

### Modular bench with polypropylene shell seat

**Sedišče:** Barvni polipropilen v črni ali modri barvi.
**Okvir:** Črna barvana jeklena cev.
**Širina:** Črna barvana jeklena cev.
**Noge:** Črno barvana jeklena cev z nastavljivimi nogami.

**Monocoque:** Coloured polypropylene in black or blue.
**Frame:** Black painted steel tube.
**Beam:** Black painted steel tube.
**Legs:** Black painted steel tube with adjustable feet.

**Izdelek, ki zavira gorenje, z ministrsko homologacijo razreda 1IM**
**Fire retardant product rated with Ministerial Class 1IM**



Za več informacij nas kontaktirajte
For more information please contact us

# Lada

## Delovni stol

### Stool

**Sedež:** Vgrajen poliuretan, s kovinskim vložkom.
**Okvir:** Črno barvana jeklena cev s sedežem nastavljivim po višini.
**Stopala:** Črni polipropilen.

**Seat:** Integral polyurethane, with metal insert.
**Frame:** Black painted steel tube with height-adjustable seat on rack.
**Feet:** Black polypropylene.

# Vesnik

## Stol z naslonjalom

### Chair with backrest

**Naslonjalo:** Poliuretan, podprt z vezano ploščo.
**Sedež:** Poliuretan, podprt z vezano ploščo.
**Nastavitev naslonjala:** Gumb za nastavitev višine.
**Mehanizem:** Asinhroni multi-block mehanizem.
**Podstavek:** Najlon, črno pobarvano jeklo s kolesi ali fiksnimi nogami.

**Backrest:** Integral polyurethane, supported by multilayer wood.
**Seat:** Integral polyurethane, supported by multilayer wood.
**Backrest adjustment:** Height-adjustment knob.
**Mechanism:** Asynchron multi-block mechanism.
**Base:** Nylon, black painted steel with castors or fixed feet.



**Potrdilo o skladnosti izdelka s standardom UNI EN 16139**
**Certificate of product compliance with the UNI EN 16139 standard**

# Maja

## Modularna klop

### Modular bench

**Naslonjalo:** Bukova vezana plošča, debelina 8 mm, naravno lakirana.
**Sedež:** Bukova vezana plošča, debelina 8 mm, naravno lakirana.
**Okvir:** Črno barvana jeklena cev.
**Širina:** Črno barvana jeklena cev.
**Noge:** Črno barvana jeklena cev z nastavljivimi nogami.

**Backrest:** Beech plywood, thickness 8mm, Natural varnished.
**Seat:** Beech plywood, thickness 8mm, Natural varnished.
**Frame:** Black painted steel tube.
**Beam:** Black painted steel tube.
**Legs:** Black painted steel tube with adjustable feet.

# Kresnik

## Fotelj, kavč in tabure

## Armchair, sofa and pouf

**Zgradba:** Vezana plošča in masiven les.
**Oblazinjenje:** Fleksibilna poliuretanska pena.
**Podnožje:** kromirana jeklena cev.

**Structure:** Multilayer wood and solid wood.
**Padding:** Flexible polyurethane foam.
**Base:** Chromed steel tube.

**OBLAZINJENJE / UPHOLSTERY***
**. Cat. C** Eko usnje / Simil Leather **HAPPY**.
**. Cat. C** Eko usnje / Simil Leather **INCA.**
**. Cat. C** Tkanina / Fabric **MIRAGE.**
**. Cat. C** Tkanina / Fabric **JET.**
**. Cat. C** Tkanina / Fabric **JET MELANGE.**

Druge tkanine po naročilu.
Other fabrics on demand.

*Za več informacij nas kontaktirajte
For more information please contact us



**Tabure**
**Pouf**

**Fotelj**
**Armchair**

**Dvosed**
**Two seater sofa**

**Trosed**
**Three seater sofa**

**Izdelek, ki zavira gorenje, z ministrsko homologacijo razreda 1IM**
**Fire retardant product rated with Ministerial Class 1IM**

# Jaga

## Nakladni stol iz polipropilena

### Stackable polypropylene chair

**Sestava:** polipropilen, obarvan proti UV-svetlobi.

**Structure:** Coloured polypropylene ANTI-UV.

**Z naslonjali za roke**
**With armrests**

**Brez naslonjal za roke**
**Without armrests**

**POLIPROPILENSKE BARVE / POLYPROPYLENE COLOURS**

Črna
Black

Bela
White

Pesek
Sand

Temno zelena
Dark Green

Svetlo zelena
Light Green

Svetlo modra
Light blue

Rdeča
Red

Oranžna
Orange

# Rusalka

## Oblazinjen stol

### Padded chair

**Zgradba:** Sedišče iz vezane plošče.
**Oblazinjenje:** Fleksibilna poliuretanska pena.
**Nasloni za roke:** Kromirana jeklena cev s tapeciranim zgornjim delom.
**Konzola:** Kromirana jeklena cev.
**Stopala:** črni polipropilen.

**Structure:** Multilayer wood monocoque.
**Padding:** Flexible polyurethane foam.
**Armrests:** Chromed steel tube with upholstered top.
**Cantilever:** Chromed steel tube. Feet: Black polypropylene.

**OBLAZINJENJE** / **UPHOLSTERY***
. **Cat. B** Eko usnje / Simil Leather **ATOM**
. **Cat. B** Tkanina / Fabric **TEDDY**
. **Cat. B** Tkanina / Fabric **MADRID**
. **Cat. C** Eko usnje / Simil Leather **HAPPY**
. **Cat. C** Eko usnje / Simil Leather **INCA**
. **Cat. C** Tkanina / Fabric **MIRAGE**
. **Cat. C** Tkanina / Fabric **JET**
. **Cat. C** Tkanina / Fabric **JET MELANGE**

Druge tkanine po naročilu.
Other fabrics on demand.

* Za več informacij nas kontaktirajte
For more information please contact us

# Utva

## Oblazinjen stol

### Padded chair

**Zgradba:** Sedišče iz vezane plošče.
**Oblazinjenje:** Fleksibilna poliuretanska pena.
**Nasloni za roke:** Kromirana jeklena cev s tapeciranim zgornjim delom.
**Konzola:** Kromirana jeklena cev.
**Stopala:** Črni polipropilen.

**Structure:** Multilayer wood monocoque.
**Padding:** Flexible polyurethane foam.
**Armrests:** Chromed steel tube with upholstered top.
**Cantilever:** Chromed steel tube.
**Feet:** Black polypropylene.

**OBLAZINJENJE/ UPHOLSTERY***
. **Cat. B** Eko usnje / Simil Leather **ATOM**
. **Cat. B** Tkanina / Fabric **TEDDY**
. **Cat. B** Tkanina / Fabric **MADRID**
. **Cat. C** Eko usnje / Simil Leather **HAPPY**
. **Cat. C** Eko usnje / Simil Leather **INCA**
. **Cat. C** Tkanina / Fabric **MIRAGE**
. **Cat. C** Tkanina / Fabric **JET**
. **Cat. C** Tkanina / Fabric **JET MELANGE**

Druge tkanine po naročilu.
Other fabrics on demand.

**Izdelek, ki zavira gorenje, z ministrsko homologacijo razreda 1IM**
**Fire retardant product rated with Ministerial Class 1IM**

*Za več informacij nas kontaktirajte
For more information please contact us

# Devana

## Vrtljivi stol s kolesi, tablico za pisanje in shrambo

## Swivel chair with castors, writing tablet and storage

Na voljo v enobarvnim ali dvobarvnim polipropilenskim sediščem ali v oblazinjeni različici.
Stol, ki je še posebej primeren za šole, sejne sobe in sestanke delovnih skupin.

Available with one color or two-colors polypropylene shell and upholstered versions.
A chair version particularly suitable for schools, meeting rooms and working group meetings.

**Dimensions:**

63x72 H.85cm

**različica z enobarvnim polipropilenskim sediščem**

**version with single color polypropylene shell**

**na zahtevo oblazinjen sedež ali oblazinjen sedež in naslonjalo iz tkanine**

**fabric upholstered seat or fabric upholstered seat and backrest available on request**

# Nora

## Miza narejena po vaših željah
## Fully customizable table

Narejen je iz jekla s kompaktnim vrhnjim delom iz HPL kompaktne plošče, debeline 10mm, posebej primeren za zunanjo uporabo. Za uporabo v bližini morja je na voljo različica iz aluminija. Dimenzije so na zahtevo v celoti prilagodljive.

Manufactured in iron with HPL compact top, particularly suitable for outdoor use. An aluminum version is available for use near the sea.
Dimensions are fully customizable uppon request.

### Naše standardne dimenzije:
Our standard sizes:

h74 cm

- 59 x 59 — 69 x 69
- 79 x 79 — 89 x 89 cm
- 59 x 89 — 69 x 109 cm

h110 cm

- 49 x 89 — 49 x 109 cm
- 59 x 59 — 59 x 89 — 59 x 109 cm
- 69 x 69 — 79 x 79 — 89 x 89 cm



### Peskanje podnožja
**Powder coated**

PURE WHITE RAL 9010 | BLACK GREY RAL 7021 | DEEP BLACK RAL 9005 | WHITE ALUMINIUM RAL 9006

### Na voljo tudi v klasičnih Mibu barvah
**Also available in classic mibu colors**

CORAL RED RAL 3016 | GRAPHITE GREY RAL 7024 | BRILLIANT BLUE RAL 5007 | TRAFFIC WHITE RAL 9016 | BEIGE GREY RAL 7006 | CEMENT GREY RAL 7033

### Mizna plošča - HPL kompakt plošča, črno jedro 10 mm th
Top HPL black core 10 mm th

0001 R | 0028 R | 0509 R | 0735 R | 3411 URB | 3428 URB

3431 LUNA | 3192 R | 3346 R | 3469 URB | 3476 URB | 3397 URB

3446 URB | 4548 ALV | 4627 ALV | 4628 ALV | 4604 ALV | 0738 R

**R:**

kompaktne, svilnato gladke površine, ki omilijo barve in poudarijo harmonijo kompozicije.

silky-smooth compact surfaces which soften colors and highlight the harmony of composition.

**URB:**

prefinjena kombinacija betona in kamna, struktura, ki je lahka in prijetna na otip.

sophisticated combination of concrete and stone, a lightweight structure, pleasant to touch.

**LUNA:**

hrapava površina, prijetna na otip, ki z reprodukcijo geometrije kamnov poudari dekor.

a rough surface, nice to touch, that enhances the decor by reproducing the geometries of stones.

**ALV:**

površina, ki poudarja lepoto in otipljivost lesenih dekorjev.

the finish that emphasises the beauty and tactile quality of the wood decors.

# General sales conditions

**ART. 1 APPLICABILITY OF THE GENERAL SALES CONDITIONS**
These general sales conditions, alongside any special sales term contained in the order confirmation, are applicable to the sale relation between ADT d.o.o. (hereinafter Company) and the Purchasing party (hereinafter Purchaser). These conditions form an essential and binding part of the contract and, in case of dispute, they will prevail over any other term described in the original order or annexed document. These conditions are intended as fully accepted by the Purchaser with the transmission of the order confirmation by the Company which states that: "The sale of products herewith confirmed is governed by the general sales conditions contained in the current price list".

**ART. 2 PRICES**
Prices indicated in the price list refer exclusively to the retailer's purchasing price. Prices are gross and do not include the Value Added Tax (VAT). The same prices are suggested as retail prices. Standard packaging of products is included in the price.

**ART. 3 PRICE ADJUSTMENTS**
This price list replaces and invalidates all previous editions. The Company reserves the right to modify prices and/or products listed in the price list without advanced notice. These adjustments are immediately applicable from the disclosure of the notice to the Purchaser.

**ART. 4 TERMS OF DISPATCH OF THE GOODS**
The risks of loss and/or damage of the goods are transferred from the Company to the Purchaser upon dispatch of the goods subject to the Sales Contract. If the Purchaser or carrier appointed by the Purchaser does not take immediate possession of the goods or if the Purchaser fails to provide timely pick-up instructions, any risk of damage and extra charges related to such delay are the Purchaser's responsibilities. Unless otherwise agreed in writing and indicated in the Order Confirmation issued by ADT d.o,o., products are delivered according to the term "Ex Work" (EXW, Incoterms 2010).

**ART. 5 PAYMENT CONDITIONS**
The price shall be paid by the Purchaser without any extra charges, according to the payment conditions stated in the order confirmation. Payment terms stated in the order confirmation, previously granted by the Company and agreed with the Purchaser cannot be modified in any way owing to a binding business credit insurance policy which does not envisage the possibility to grant any payment delay to accounts receivable. In accordance with the Slovenian law, interest on delayed payment, if any, is calculated and debited regularly or, in the case of small amounts, at the end of the Company's fiscal year. Should the Purchaser infringe the agreed payment terms, fully or even partially, the Company has the right to interrupt the dispatch of goods. In this case, the Purchaser loses his right to claim damages and related compensations and the Company retains the right to modify previously agreed payment conditions.

**ART. 6 CLAIMS AND WARRANTY**
In case of defects or non-conformity of the products related to the manufacturing process, the Company takes on the responsibility to replace the complete faulty product or singular defective parts. Complete documentation, including clear and detailed pictures showing the nature of the defect must be sent to the Company in written form, within eight days from receipt of the products. Failure to forward this notification implies that the Purchaser loses his right to claim the stated defects. Any complaint related to defects which are not visible after a careful inspection of the goods at the time of delivery (hidden defects) must be notified to the Company in written form within eight days from discovery of the defects and in any case not later than twelve months from delivery. Failure to forward this notification implies that the Purchaser loses his right to claim the mentioned defects. The warranty cannot be applied to defects related to incorrect assembly, improper use, failure to comply with the operating and maintenance instructions, everyday use or wear and tear. Claims not related to product defects will be taken into consideration only if notified in writing to the Company within eight days from receipt of the relevant invoice.

**ART. 7 RETURNS AND REPLACEMENT POLICY**
Claimed products cannot be returned to the factory unless previously requested and authorized in writing by the Company. The relevant products must be returned within 120 days from the date of the a.m. authorization, together with the relevant authorization form. Upon return of the claimed items, the Company carefully checks the condition of the goods and if the damages are not imputable to the Company, the claim is rejected and the replacement must be paid for. Should the goods be damaged during transport back to the factory because they are not duly packed in the original carton, or because the packaging material used to keep the goods in good condition during transport is missing, the Company shall have the right to charge the Purchaser with the necessary expenses to repair the goods or to refuse the returned goods. When the goods are returned, a corresponding credit note is issued. The amount of the credit note is based on the prices which appear in the original commercial invoice. The number and date of the invoice must be indicated in the authorization for the return of the goods. Replacements of the damaged goods are regularly invoiced. If the replaced goods are not returned within 120 days, the Company shall refuse to take them back and shall request full payment. Should the Purchaser fail to settle this payment, the Company has the right to suspend deliveries as indicated in the above art. 5. The Company does not allow to compensate the value of the returned goods with products scheduled for delivery.

**ART. 8 RETENTION OF TITLE**
The Company remains the sole owner of the goods until the corresponding amount is duly paid by the Purchaser, even if the goods have been transformed and/or modified after their delivery.

**ART. 9 APPLICABLE LAW**
This contract of sale is governed by the United Nations Convention on Contracts for the International Sale of Goods (CISG - Wien1980) and, with respect to issues not covered by this Convention, by the laws of Slovenia.

**ART. 10 JURISDICTION**
The competent law Courts of Nova Gorica shall have jurisdiction in any action arising out of or in connection with this contract. the Company is in any case entitled to bring his action before the competent court of the place where the Purchaser has his registered office or main business.

mibu

ADT d.o.o
Cesta Prekomorskih Brigad 80
5290 Šempeter pri Gorici
Slovenija

info@mibu.desig
+386 5 398 5596