

A blurred background image of a classroom. A teacher in a light-colored sweater is standing at the front, and a student in a red and white striped shirt is sitting at a desk in the foreground, raising their hand. The text is overlaid on a white rectangular area in the upper right.

mibu

Programma Arredo Scuola

School Furniture Program

Siamo lieti di presentare la nostra produzione di banchi e sedute per la scuola ed il mondo della didattica.

Realizziamo le strutture metalliche all'interno del nostro stabilimento produttivo in Slovenia, a pochi chilometri dal confine con l'Italia, dove processiamo sia le fasi di taglio, che quelle di piegatura e saldatura dei profili, per ultimare poi il tutto tramite il processo di verniciatura a polveri a caldo. Gli elementi in legno multistrato poi sono realizzati localmente dai nostri partner e assemblati su richiesta.

La nostra flessibilità ci permette di produrre ogni elemento sia in dimensioni diverse, ma anche seguendo il disegno fornitoci dai nostri clienti.

We are pleased to present our production of desks and chairs
for school and the world of education.

We manufacture the metal structures in our production plant
in Slovenia, a few kilometres from the Italian border, where
we process both the cutting, bending and welding phases of
the profiles, and then finish them with the hot powder coating
process. The multilayer wood elements are then manufactured
locally by our partners and assembled on request.

Our flexibility allows us to produce each element both in
different sizes, but also following the drawing provided by our
customers.

Svarog

Sedia impilabile

Stackable chair



Size 3, 4, 5

57,80€

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Size 6, 7

59,80!

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Schienale: Multistrato di faggio, spessore 8mm, verniciato Naturale.

Sedile: Multistrato di faggio, spessore 8mm, verniciato Naturale.

Telaio: Tubolare d'acciaio trafilato Ø 22mm realizzata mediante curvature a freddo e saldature a filo continuo ad alta resistenza. Barra di rinforzo sotto il sedile in ferro piatto. Verniciatura a polveri termoidurenti a forno previo trattamento di lavaggio e sgrassaggio del metallo.

Piedini: Piedini alettati ed inestraibili alle estremità.

Backrest: Beech plywood, thickness 8mm, Natural varnished.

Seat: Beech plywood, thickness 8mm, Natural varnished.

Frame: Tubular steel frame Ø 22mm made by cold bending and high resistance continuous wire welding. Reinforcement flat iron bar under the seat. Powder coating finishing after washing and degreasing the metal structure.

Feet: Finned and unstrainable feet at the ends.

Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Seat cm.36x35H.
size 4 (Student height from cm.133 to 159) Seat cm.36x38H.
size 5 (Student height from cm.146 to 176) Seat cm.36x43H.
size 6 (Student height from cm.159 to 188) Seat cm.40x46H.
size 7 (Student height from cm.174 to 207) Seat cm.40x51H.

Perun

Banco monoposto semplice Simple single-seater desk



Size 3 - 4 - 5

91,80€

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Size 6 - 7

93,80€

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Piano di scrittura: Multistrato di betulla ricoperto su ambedue le superfici in laminato con finitura antigraffio nello spessore complessivo di 22mm, sagomato perimetralmente con sezione raggiata secondo le direttive europee in materia di antinfortunistica con spigoli arrotondati. Avvitatura alla struttura portante mediante speciali viti.

Telaio: Struttura portante in tubo di acciaio trafilato Ø 25mm collegate da tubolare di acciaio Ø 22mm ai montanti. Verniciatura a polveri termoidurenti a forno previo trattamento di lavaggio e sgrassaggio del metallo.

Piedini: Interni alettati ed inestraibili alle estremità, utili per attenuare la rumorosità e proteggere la struttura metallica dalla corrosione.

Writing top: Birch plywood covered on both surfaces in laminate with anti-scratch finish in the total thickness of 22mm, shaped perimetrically with radius section according to European standards on accident prevention with rounded edges. Fastened to the supporting structure by means of special screws.

Frame: Structure made in steel tube Ø 25mm connecting the legs with an horizontal steel tube Ø 22mm. Powder coating finishing after washing and degreasing the metal structure.

Feet: Finned and non-extractable plastic feet at the ends, useful to attenuate noise and protect the metal structure from corrosion.

Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Desk cm. 70x50x59H.
size 4 (Student height from cm.133 to 159) Desk cm. 70x50x64H.
size 5 (Student height from cm.146 to 176) Desk cm. 70x50x71H.
size 6 (Student height from cm.159 to 188) Desk cm. 70x50x76H.
size 7 (Student height from cm.174 to 207) Desk cm. 70x50x82H.

Svetovid

Banco monoposto con sottopiano in lamiera Single-seater desk with sheet metal undercounter



Size 3, 4, 5

59,50 €

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Size 6, 7

61,00€

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Piano di scrittura: Multistrato di betulla ricoperto su ambedue le superfici in laminato con finitura antigraffio nello spessore complessivo di 22mm, sagomato perimetralmente a sezione raggiata secondo le direttive europee in materia di antinfortunistica con spigoli arrotondati. Avvitatura alla struttura portante mediante speciali viti.

Telaio: Struttura portante in tubo di acciaio trafilato Ø 25 mm collegate da sottopiano in lamiera di acciaio 20/10 saldato a filo continuo ai montanti. Verniciatura a polveri termoindurenti a forno previo trattamento di lavaggio e sgrassaggio del metallo.

Piedini: Piedini alettati ed inestraibili alle estremità, utili per attenuare la rumorosità e proteggere la struttura metallica dalla corrosione.

Writing top: Birch plywood covered on both surfaces in laminate with anti-scratch finish in the total thickness of 22mm, shaped perimetally with radius section according to European standards on accident prevention with rounded edges. Fastened to the supporting structure by means of special screws.

Frame: Structure made in steel tube Ø 25 mm connected by a 20/10 steel sheet undertop tray welded to the legs. Powder coating finishing after washing and degreasing the metal structure.

Feet: Finned and non-extractable plastic feet at the ends, useful to attenuate noise and protect the metal structure from corrosion.

Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Desk cm. 70x50x59H.
size 4 (Student height from cm.133 to 159) Desk cm. 70x50x64H.
size 5 (Student height from cm.146 to 176) Desk cm. 70x50x71H.
size 6 (Student height from cm.159 to 188) Desk cm. 70x50x76H.
size 7 (Student height from cm.174 to 207) Desk cm. 70x50x82H.

Triglav

Banco monoposto con poggiapiedi e sottopiano in lamiera

Single-seater desk with footrest and sheet metal undercounter



Size 3, 4, 5

61,00 €

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Size 6, 7

62,50 €

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Piano di scrittura: Piano di scrittura in multistrato di betulla ricoperto su ambedue le superfici in laminato con finitura antigraffio nello spessore complessivo di mm.22, sagomato perimetralmente a sezione raggiata secondo le direttive europee in materia di antinfortunistica con spigoli arrotondati. Avvitatura alla struttura portante mediante speciali viti.

Telaio: Struttura portante in tubo di acciaio trafilato Ø mm.25 collegate da sottopiano in lamiera di acciaio 20/10 saldato a filo continuo ai montanti. Verniciatura a polveri termoindurenti a forno previo trattamento di lavaggio e sgrassaggio del metallo. Barra poggiapiedi realizzata in tubolare d'acciaio Ø mm.22, saldata al montante della struttura con protezione in PVC rigato inestraibile.

Piedini: Piedini alettati ed inestraibili alle estremità, utili per attenuare la rumorosità e proteggere la struttura metallica dalla corrosione.

Writing top: Birch plywood covered on both surfaces in laminate with anti-scratch finish in the total thickness of 22mm, shaped perimetally with radius section according to European standards on accident prevention with rounded edges. Fastened to the supporting structure by means of special screws.

Frame: Structure made in steel tube Ø 25 mm connected by a 20/10 steel sheet undertop tray welded to the legs. Footrest bar made of tubular steel Ø mm.22, welded to the legs with non-extractable protection in striped PVC. Powder coating finishing after washing and degreasing the metal structure.

Feet: Finned and non-extractable plastic feet at the ends, useful to attenuate noise and protect the metal structure from corrosion.

Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Desk cm. 70x50x59H.
size 4 (Student height from cm.133 to 159) Desk cm. 70x50x64H.
size 5 (Student height from cm.146 to 176) Desk cm. 70x50x71H.
size 6 (Student height from cm.159 to 188) Desk cm. 70x50x76H.
size 7 (Student height from cm.174 to 207) Desk cm. 70x50x82H.

Belibog

Banco monoposto semplice Simple single-seater desk



Size 3, 4, 5

52,50 €

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Size 6, 7

53,50 €

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Piano di scrittura: Multistrato di betulla ricoperto su ambedue le superfici in laminato con finitura antigraffio nello spessore complessivo di 22mm, sagomato perimetralmente a sezione raggiata secondo le direttive europee in materia di antinfortunistica con spigoli arrotondati. Avvitatura alla struttura portante mediante speciali viti.

Telaio: Struttura realizzata in tubo acciaio Ø mm.30 con barre perimetrali di collegamento in tubo. L'unione degli elementi avviene tramite 4 saldature a filo continuo su ogni montante. Verniciatura a polveri termoindurenti a forno previo trattamento di lavaggio e sgrassaggio del metallo.

Piedini: Piedini alettati ed inestraibili alle estremità, utili per attenuare la rumorosità e proteggere la struttura metallica dalla corrosione.

Writing top: Birch plywood covered on both surfaces in laminate with anti-scratch finish in the total thickness of 22mm, shaped perimetrically with radius section according to European standards on accident prevention with rounded edges. Fastened to the supporting structure by means of special screws.

Frame: Structure made of steel tube Ø mm.30 with perimeter connecting profiles. The elements are welded by 4 continuous wire weldings. Powder coating finishing after washing and degreasing the metal structure.

Feet: Finned and non-extractable plastic feet at the ends, useful to attenuate noise and protect the metal structure from corrosion.

Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Desk cm. 70x50x59H.
size 4 (Student height from cm.133 to 159) Desk cm. 70x50x64H.
size 5 (Student height from cm.146 to 176) Desk cm. 70x50x71H.
size 6 (Student height from cm.159 to 188) Desk cm. 70x50x76H.
size 7 (Student height from cm.174 to 207) Desk cm. 70x50x82H.

Radegost

Sedia impilabile

Stackable chair



Size 3, 4, 5

29,90 €

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Size 6, 7

30,90 €

quantità minima 100 pezzi
minimum quantity 100 pieces

IVA non inclusa
VAT not included

Schienale: Multistrato di faggio, spessore 8mm, verniciato Naturale.
Sedile: Multistrato di faggio, spessore 8mm, verniciato Naturale.
Telaio: struttura portante in tubolare di acciaio trafilato Ø 25mm realizzata mediante curvature a freddo e saldature a filo continuo ad alta resistenza. Verniciatura a polveri termoindurenti a forno previo trattamento di lavaggio e sgrassaggio del metallo.
Barra di rinforzo sotto il sedile in ferro piatto.
Piedini: Piedini alettati ed inestraibili alle estremità.

Backrest: Beech plywood, thickness 8mm, Natural varnished.
Seat: Beech plywood, thickness 8mm, Natural varnished.
Frame: Tubular steel frame Ø 25 mm made by cold bending and high resistance continuous wire welding. Reinforcement flat iron bar under the seat. Powder coating finishing after washing and degreasing the metal structure.
Feet: Finned and removable feet at the ends.

Dimensions and Reference standard UNI EN1729:

size 3 (Student height from cm.119 to 142) Seat cm.36x35H.
size 4 (Student height from cm.133 to 159) Seat cm.36x38H.
size 5 (Student height from cm.146 to 176) Seat cm.36x43H.
size 6 (Student height from cm.159 to 188) Seat cm.40x46H.
size 7 (Student height from cm.174 to 207) Seat cm.40x51H.

Stribog

Sedia impilabile con o senza braccioli
Stackable chair with or without armrests



Schienale: Multistrato di faggio, spessore 8mm, verniciato Naturale.
Sedile: Multistrato di faggio, spessore 8mm, verniciato Naturale.
Telaio: Tubolare d'acciaio verniciato colore Nero e Alluminio.
Piedini: Polipropilene nero.

Backrest: Beech plywood, thickness 8mm, Natural varnished.
Seat: Beech plywood, thickness 8mm, Natural varnished.
Frame: Painted tubular steel frame in Black and Aluminium.
Feet: Black polypropylene.

Senza braccioli

Without armrests

29,90 €

quantità minima 40 pezzi

minimum quantity 40 pieces

IVA non inclusa
VAT not included

Con braccioli

With armrests

39,40 €

quantità minima 40 pezzi

minimum quantity 40 pieces

IVA non inclusa
VAT not included

Dajbog

Sgabello

Stool



Sedile: Multistrato di faggio, spessore 8mm, verniciato Naturale.

Meccanismo: Piastra fissa. Elevazione a gas.

Base: Nylon, metallo verniciato nero con ruote piroettanti o piedini fissi.

Poggiapiedi: Anello poggiapiedi cromato regolabile.

Seat: Beech plywood, thickness 8mm, Natural varnished.

Mechanism: Fixed plate. Gas-lift.

Base: Nylon, black painted steel with castors or fixed feet.

Foot Ring: Chromed adjustable foot ring.

56,00 €

IVA non inclusa
VAT not included

Kurent

Sgabello con schienale

Stool with backrest



Schienale: Multistrato di faggio, spessore 8mm, verniciato Naturale.
Sedile: Multistrato di faggio, spessore 8mm, verniciato Naturale.
Regolazione schienale: Volantino di regolazione altezza.
Meccanismo: Lama fissa. Elevazione a gas.
Base: Nylon, metallo verniciato nero con ruote piroettanti o piedini fissi.
Poggiapiedi: Anello poggiapiedi cromato regolabile.

Backrest: Beech plywood, thickness 8mm, Natural varnished.
Seat: Beech plywood, thickness 8mm, Natural varnished.
Backrest adjustment: Height-adjustment knob.
Mechanism: Fixed plate. Gas-lift.
Base: Nylon, black painted steel with castors or fixed feet.
Foot Ring: Chromed adjustable foot ring.

64,00€

IVA non inclusa
VAT not included

Velas

Sgabello Stool



Sedile: Multistrato di faggio, spessore 8mm, verniciato Naturale.

Meccanismo: Piastra fissa. Elevazione a gas.

Base: Nylon, metallo verniciato nero con ruote piroettanti o piedini fissi.

Poggiapiedi: Anello poggiapiedi cromato regolabile.

Seat: Beech plywood, thickness 8mm, Natural varnished.

Mechanism: Fixed plate. Gas-lift.

Base: Nylon, black painted steel with castors or fixed feet.

Foot Ring: Chromed adjustable foot ring.

51,00 €

IVA non inclusa
VAT not included

Velas

Sgabello Stool



Sedile: Multistrato di faggio, spessore 8mm, verniciato Naturale.

Meccanismo: Piastra fissa. Sedile regolabile in altezza a vite.

Telaio: 4 gambe in tubolare di acciaio verniciato nero.

Seat: Beech plywood, thickness 8mm, Natural varnished.

Mechanism: Manual height-adjustable seat.

Frame: 4 legs in black painted tubular steel.

65,00 €

IVA non inclusa
VAT not included

Jarilo

Sgabello Stool

Sedile: Pannello truciolare imbottito.
Imbottitura: Poliuretano espanso flessibile.
Meccanismo: Piastra fissa. Elevazione a gas.
Base: Nylon, metallo nero con ruote piroettanti o piedini fissi.



Seat: Padded chipboard.
Padding: Flexible polyurethane foam.
Mechanism: Fixed plate. Gas-lift.
Base: Nylon, black painted steel with castors or fixed feet.

39,70 €

IVA non inclusa
VAT not included

Jarilo

Sgabello Stool

Sedile: Pannello truciolare imbottito.
Imbottitura: Poliuretano espanso flessibile.
Meccanismo: Piastra fissa. Sedile regolabile in altezza a vite.
Telaio: 4 gambe in tubolare di acciaio verniciato nero.



Seat: Padded chipboard.
Padding: Flexible polyurethane foam.
Mechanism: Manual height-adjustable seat.
Frame: 4 legs in black painted tubular steel.

63,00 €

IVA non inclusa
VAT not included

Bogomila

Sedia pieghevole imbottita
Folding padded chair



35,00 €

quantità minima 20 pezzi
minimum quantity 20 pieces

IVA non inclusa
VAT not included

Schienale: Interno schienale in multistrato di legno e retro schienale in polipropilene. Fronte imbottito e tappezzato.

Sedile: Interno sedile in multistrato di legno.

Imbottitura: Poliuretano espanso flessibile.

Rivestimento: Ecopelle.

Telaio: Tubolare d'acciaio verniciato nero, verniciato alluminio o cromato.

Piedini: Polipropilene nero.

Backrest: Inner backrest made in multilayer wood and polypropylene outer backside. Padded and stuffed frontside.

Seat: Wood inner seat made in multilayer wood. Taped and stuffed upperside.

Padding: Flexible polyurethane foam.

Upholstery: Eco-leather.

Frame: Black painted, aluminium painted or chromed steel tube.

Feet: Black polypropylene.

Belin

Sedia impilabile con scocca in polipropilene Stackable polypropylene shell chair

Scocca: Polipropilene colorato.

Telaio: Tubolare d'acciaio cromato con o senza braccioli; tavoletta ribaltabile lato destro in polipropilene opzionale su richiesta.

Piedini: Polipropilene nero.

Shell: Coloured polypropylene.

Frame: Chromed steel tube with or without armrests; folding polypropylene tablet optional on request.

Feet: Black polypropylene.



Senza braccioli

Without armrests

21,00 €

quantità minima 40 pezzi

minimum quantity 40 pieces

IVA non inclusa
VAT not included



Con braccioli

With armrests

31,00 €

quantità minima 40 pezzi

minimum quantity 40 pieces

IVA non inclusa
VAT not included

Prodotto ignifugo con Omologa Ministeriale Classe 1M
Fire retardant product rated with Ministerial Class 1M

Morana

Panchina modulare con scocca seduta in polipropilene

Modular bench with polypropylene shell seat



Monoscocca: Polipropilene colorato in nero o in blu.

Telaio: Tubolare d'acciaio verniciato nero.

Trave: Tubolare d'acciaio verniciato nero.

Gambe: Tubolare d'acciaio verniciato nero con piedini regolabile.

Monocoque: Coloured polypropylene in black or blue.

Frame: Black painted steel tube.

Beam: Black painted steel tube.

Legs: Black painted steel tube with adjustable feet.

Prezzo per configurazione come in foto

Price per configuration as in photo

148,00 €

IVA non inclusa
VAT not included

Lada
Sgabbello
Stool



Sedile: Poliuretano integrale, interno in metallo.

Telaio: Struttura in tubolare di acciaio verniciato nero con sedile regolabile in altezza su cremagliera.

Piedini: Polipropilene nero.

Seat: Integral polyurethane, with metal insert.

Frame: Black painted steel tube with height-adjustable seat on rack.

Feet: Black polypropylene.

89,00€

IVA non inclusa
VAT not included

Vesnik

Sedia con schienale

Chair with backrest



Schienale: Poliuretano integrale, interno in multistrato di legno.
Sedile: Poliuretano integrale, interno in multistrato di legno.
Regolazione schienale: Volantino di regolazione altezza.
Meccanismo: Meccanismo asincrono multi-blocco
Base: Nylon, metallo nero con ruote piroettanti o piedini fissi.

Backrest: Integral polyurethane, supported by multilayer wood.
Seat: Integral polyurethane, supported by multilayer wood.
Backrest adjustment: Height-adjustment knob.
Mechanism: Asynchron multi-block mechanism.
Base: Nylon, black painted steel with castors or fixed feet.

78,00 €

IVA non inclusa
VAT not included

Maja

Panchina modulare e componibile Modular bench



Schienale: Multistrato di faggio, spessore 8mm, verniciato Naturale.
Sedile: Multistrato di faggio, spessore 8mm, verniciato Naturale.
Telaio: Tubolare d'acciaio verniciato nero.
Trave: Tubolare d'acciaio verniciato nero.
Gambe: Tubolare d'acciaio verniciato nero con piedini regolabile.

Backrest: Beech plywood, thickness 8mm, Natural varnished.
Seat: Beech plywood, thickness 8mm, Natural varnished.
Frame: Black painted steel tube.
Beam: Black painted steel tube.
Legs: Black painted steel tube with adjustable feet.

Prezzo su richiesta
Price on request

Kresnik

Poltrona, divano e pouf Armchair, sofa and pouf

Struttura: Multistrato di legno e legno massello.
Imbottitura: Poliuretano espanso flessibile.
Basamento: Tubolare d'acciaio cromato.

Structure: Multilayer wood and solid wood.
Padding: Flexible polyurethane foam.
Base: Chromed steel tube.

RIVESTIMENTI / UPHOLSTERY*

- . Cat. C Similpelle / Simil Leather **HAPPY.**
- . Cat. C Similpelle / Simil Leather **INCA.**
- . Cat. C Tessuto / Fabric **MIRAGE.**
- . Cat. C Tessuto / Fabric **JET.**
- . Cat. C Tessuto / Fabric **JET MELANGE.**

Altri rivestimenti su richiesta.
Other fabrics on demand.

Pouf
Pouf

181,00

IVA non inclusa
VAT not included

Poltrona
Armchair

326,00

IVA non inclusa
VAT not included

Divano due posti
Two seater sofa

419,00

IVA non inclusa
VAT not included

Divano tre posti
Three seater sofa

555,00

IVA non inclusa
VAT not included



Jaga

Sedia impilabile in polipropilene Stackable polypropylene chair

Struttura: Polipropilene colorato ANTI-UV.

Structure: Coloured polypropylene ANTI-UV.



COLORI POLIPROPILENE / POLYPROPYLENE COLOURS



Nero
Black



Bianco
White



Sabbia
Sand



Verde scuro
Dark Green



Verde chiaro
Light Green



Azzurro
Light blue



Rosso
Red



Arancione
Orange

Senza braccioli
Without armrests

51,00 €

quantità minima 40 pezzi
minimum quantity 40 pieces

IVA non inclusa
VAT not included

Con braccioli
With armrests

58,00 €

quantità minima 40 pezzi
minimum quantity 40 pieces

IVA non inclusa
VAT not included

Rusalka

Sedia imbottita

Padded chair

Struttura: Monoscocca in multistrato di legno.
Imbottitura: Poliuretano espanso flessibile.
Braccioli: Tubolare d'acciaio cromato e pad rivestito.
Slitta: Tubolare d'acciaio cromato.
Piedini: Polipropilene nero.

Structure: Multilayer wood monocoque.
Padding: Flexible polyurethane foam.
Armrests: Chromed steel tube with upholstered top.
Cantilever: Chromed steel tube. Feet: Black polypropylene.



Cat. B

83,00 €

quantità minima 2 pezzi
minimum quantity 2 pieces

IVA non inclusa
VAT not included

Cat. C

91,00 €

quantità minima 2 pezzi
minimum quantity 2 pieces

IVA non inclusa
VAT not included

RIVESTIMENTI / UPHOLSTERY*

- . Cat. B Similpelle / Simil Leather **ATOM**
- . Cat. B Tessuto / Fabric **TEDDY**
- . Cat. B Tessuto / Fabric **MADRID**
- . Cat. C Similpelle / Simil Leather **HAPPY**
- . Cat. C Similpelle / Simil Leather **INCA**
- . Cat. C Tessuto / Fabric **MIRAGE**
- . Cat. C Tessuto / Fabric **JET**
- . Cat. C Tessuto / Fabric **JET MELANGE**

Altri rivestimenti su richiesta.
Other fabrics on demand.



*Per maggiori informazioni si prega di contattarci

For more information please contact us

Utva

Sedia imbottita

Padded chair

Struttura: Monoscocca in multistrato di legno.
Imbottitura: Poliuretano espanso fessibile.
Braccioli: Tubolare d'acciaio cromato e pad rivestito.
Slitta: Tubolare d'acciaio cromato.
Piedini: Polipropilene nero.

Structure: Multilayer wood monocoque.
Padding: Flexible polyurethane foam.
Armrests: Chromed steel tube with upholstered top.
Cantilever: Chromed steel tube.
Feet: Black polypropylene.



Cat. B

89,00 €

quantità minima 2 pezzi
 minimum quantity 2 pieces

IVA non inclusa
 VAT not included

Cat. C

97,00 €

quantità minima 2 pezzi
 minimum quantity 2 pieces

IVA non inclusa
 VAT not included

RIVESTIMENTI / UPHOLSTERY*

- . Cat. B Similpelle / Simil Leather **ATOM**
- . Cat. B Tessuto / Fabric **TEDDY**
- . Cat. B Tessuto / Fabric **MADRID**
- . Cat. C Similpelle / Simil Leather **HAPPY**
- . Cat. C Similpelle / Simil Leather **INCA**
- . Cat. C Tessuto / Fabric **MIRAGE**
- . Cat. C Tessuto / Fabric **JET**
- . Cat. C Tessuto / Fabric **JET MELANGE**

Altri rivestimenti su richiesta.
 Other fabrics on demand.



Prodotto ignifugo con Omologa Ministeriale Classe 1M
 Fire retardant product rated with Ministerial Class 1M

*Per maggiori informazioni si prega di contattarci
 For more information please contact us

General sales conditions

ART. 1 APPLICABILITY OF THE GENERAL SALES CONDITIONS

These general sales conditions, alongside any special sales term contained in the order confirmation, are applicable to the sale relation between ADT d.o.o. (hereinafter Company) and the Purchasing party (hereinafter Purchaser). These conditions form an essential and binding part of the contract and, in case of dispute, they will prevail over any other term described in the original order or annexed document. These conditions are intended as fully accepted by the Purchaser with the transmission of the order confirmation by the Company which states that: "The sale of products herewith confirmed is governed by the general sales conditions contained in the current price list".

ART. 2 PRICES

Prices indicated in the price list refer exclusively to the retailer's purchasing price. Prices are gross and do not include the Value Added Tax (VAT). The same prices are suggested as retail prices. Standard packaging of products is included in the price.

ART. 3 PRICE ADJUSTMENTS

This price list replaces and invalidates all previous editions. The Company reserves the right to modify prices and/or products listed in the price list without advanced notice. These adjustments are immediately applicable from the disclosure of the notice to the Purchaser.

ART. 4 TERMS OF DISPATCH OF THE GOODS

The risks of loss and/or damage of the goods are transferred from the Company to the Purchaser upon dispatch of the goods subject to the Sales Contract. If the Purchaser or carrier appointed by the Purchaser does not take immediate possession of the goods or if the Purchaser fails to provide timely pick-up instructions, any risk of damage and extra charges related to such delay are the Purchaser's responsibilities. Unless otherwise agreed in writing and indicated in the Order Confirmation issued by ADT d.o.o., products are delivered according to the term "Ex Work" (EXW, Incoterms 2010).

ART. 5 PAYMENT CONDITIONS

The price shall be paid by the Purchaser without any extra charges, according to the payment conditions stated in the order confirmation. Payment terms stated in the order confirmation, previously granted by the Company and agreed with the Purchaser cannot be modified in any way owing to a binding business credit insurance policy which does not envisage the possibility to grant any payment delay to accounts receivable. In accordance with the Slovenian law, interest on delayed payment, if any, is calculated and debited regularly or, in the case of small amounts, at the end of the Company's fiscal year. Should the Purchaser infringe the agreed payment terms, fully or even partially, the Company has the right to interrupt the dispatch of goods. In this case, the Purchaser loses his right to claim damages and related compensations and the Company retains the right to modify previously agreed payment conditions.

ART. 6 CLAIMS AND WARRANTY

In case of defects or non-conformity of the products related to the manufacturing process, the Company takes on the responsibility to replace the complete faulty product or singular defective parts. Complete documentation, including clear and detailed pictures showing the nature of the defect must be sent to the Company in written form, within eight days from receipt of the products. Failure to forward this notification implies that the Purchaser loses his right to claim the stated defects. Any complaint related to defects which are not visible after a careful inspection of the goods at the time of delivery (hidden defects) must be notified to the Company in written form within eight days from discovery of the defects and in any case not later than twelve months from delivery. Failure to forward this notification implies that the Purchaser loses his right to claim the mentioned defects. The warranty cannot be applied to defects related to incorrect assembly, improper use, failure to comply with the operating and maintenance instructions, everyday use or wear and tear. Claims not related to product defects will be taken into consideration only if notified in writing to the Company within eight days from receipt of the relevant invoice.

ART. 7 RETURNS AND REPLACEMENT POLICY

Claimed products cannot be returned to the factory unless previously requested and authorized in writing by the Company. The relevant products must be returned within 120 days from the date of the a.m. authorization, together with the relevant authorization form. Upon return of the claimed items, the Company carefully checks the condition of the goods and if the damages are not imputable to the Company, the claim is rejected and the replacement must be paid for. Should the goods be damaged during transport back to the factory because they are not duly packed in the original carton, or because the packaging material used to keep the goods in good condition during transport is missing, the Company shall have the right to charge the Purchaser with the necessary expenses to repair the goods or to refuse the returned goods. When the goods are returned, a corresponding credit note is issued. The amount of the credit note is based on the prices which appear in the original commercial invoice. The number and date of the invoice must be indicated in the authorization for the return of the goods. Replacements of the damaged goods are regularly invoiced. If the replaced goods are not returned within 120 days, the Company shall refuse to take them back and shall request full payment. Should the Purchaser fail to settle this payment, the Company has the right to suspend deliveries as indicated in the above art. 5. The Company does not allow to compensate the value of the returned goods with products scheduled for delivery.

ART. 8 RETENTION OF TITLE

The Company remains the sole owner of the goods until the corresponding amount is duly paid by the Purchaser, even if the goods have been transformed and/or modified after their delivery.

ART. 9 APPLICABLE LAW

This contract of sale is governed by the United Nations Convention on Contracts for the International Sale of Goods (CISG - Wien1980) and, with respect to issues not covered by this Convention, by the laws of Slovenia.

ART. 10 JURISDICTION

The competent law Courts of Nova Gorica shall have jurisdiction in any action arising out of or in connection with this contract. The Company is in any case entitled to bring his action before the competent court of the place where the Purchaser has his registered office or main business.

mibu

ADT d.o.o
Cesta Prekomorskih Brigad 80
5290 Šempeter pri Gorici
Slovenija

info@mibu.desig
+386 5 398 5596